



Heating and Cooling

# Mr. SLIM<sup>®</sup> RESIDENTIAL HEAT PUMPS & AIR CONDITIONERS



**OUR MOST ADVANCED LINEUP YET,  
USING LOW GLOBAL WARMING  
POTENTIAL (GWP) R-454B  
REFRIGERANT**



**PRODUCT CATALOGUE**

[MITSUBISHICOMFORT.CA](http://MITSUBISHICOMFORT.CA)



\* When installed and registered by a MEQ certified HVAC (Heating, Ventilation, and Air Conditioning) Installer. Certain conditions, restrictions and/or limitations apply. See warranty terms and conditions for complete details.

# Environmental Sustainability Vision 2050

## Environmental Declaration

**Protect the air, land, and water with our hearts and technologies to sustain a better future for all.**



**Environmental  
Sustainability  
Vision 2050**

To solve various factors that lead to environment issues, the Mitsubishi Electric Group shall unite the wishes of each and every person, and strive to create new value for a sustainable future.

## R-454B Refrigerant


Our all-electric HVAC systems using R-454B refrigerant are designed to deliver reliable comfort with a lower environmental impact. R-454B supports energy efficiency and sustainability, aligning with our commitment to innovation. Like other common household systems—such as gas furnaces and stoves—R-454B is safely used thanks to strict safety standards and advanced engineering. Our systems are built with robust safeguards, and many include smart refrigerant monitoring for added peace of mind. With R-454B, you're choosing a modern, responsible solution that reflects the safety, reliability, and environmental care built into every product we offer.





## Preventing Global Warming

Heat pump technology inspires Mitsubishi Electric to design air conditioners that harmonize comfort and ecology.



## Balancing comfort and ecology

Mitsubishi Electric develops technologies to balance comfort and ecology, achieving greater efficiency in heat pump operation.

	Comfort	Sustainability
<b>1. Inverter</b>	Faster start-up and more stable indoor temperature than non-inverter units.	Fewer On/Off operations than with non-inverter, saving energy.
<b>2. 3D i-see Sensor</b>	Since the positions of people can be detected, airflow can be set to personal taste, such as in airflow path or protected from the wind. The ability to adjust to individual preferences realizes more comfortable air conditioning.	Since the number of people in a room can be detected, the unit adjusts by ramping down or to the thermal off setting. Efficient air conditioning with less waste is realized.
<b>3. Flash Injection</b>	Achieves high heating capacity even at low temperatures, plus faster start-up compared to conventional inverters.	Improves cold-climate heat pump efficiency, lowers energy use, and reduces emissions.
<b>4. Dual Barrier Coating/ Material</b>	Prevents the indoor unit from getting dirty, delivering clean air.	Keeping the inside of the indoor unit clean, resulting in efficient operation and energy savings.

# TABLE OF CONTENTS

<b>Single-Zone Wall Mount Systems</b> .....	<b>PAGE 6</b>
> FX Series Advanced Cold Climate Heat Pumps .....	<b>PAGE 6</b>
> GX Series Cold Climate/Standard Heat Pumps & Air Conditioners .....	<b>PAGE 8</b>
> JX Series 115 V Standard Heat Pumps .....	<b>PAGE 10</b>
> HX Series Standard Heat Pumps .....	<b>PAGE 12</b>
<b>Single-Zone SUZ Systems: The Universal Unit</b> .....	<b>PAGE 14</b>
<b>Multi-Zone Systems</b> .....	<b>PAGE 20</b>
<b>WiFi Cloud App</b> .....	<b>PAGE 26</b>

# COMPATIBILITY

## INDOOR-OUTDOOR UNIT COMPATIBILITY MATRIX

Models		6k BTU/H	9k BTU/H	12k BTU/H	15k BTU/H	18k BTU/H	24k BTU/H	30k BTU/H	36k BTU/H
Wall-Mounted	 MSZ-FX Series	●	●	●	●	●	●	—	—
	 MSZ-GX Series	●	●	●	●	●	●	●	●
	 MSY-GX Series	—	●	●	●	●	●	●	●
	 MSZ-HX Series	—	●	●	●	●	●	—	—
	 MSZ-JX Series	—	●	●	—	—	—	—	—
Floor-Mounted	 MFZ-KX Series	—	●	●	●	●	—	—	—
1-Way Cassette	 MLZ-KX Series	●	●	●	—	●	—	—	—
4-Way Cassette	 SLZ Series	—	●	●	●	●	—	—	—
Ceiling-Concealed	 SEZ Series	—	●	●	●	●	—	—	—
	 PEAD Series	—	●	●	●	●	●	●	●
Multi-position Air Handler	 SVZ Series*	—	—	●	—	●	●	●	●

Single-Zone compatible
  Also compatible with MXZ
  Compatible with MXZ only
  Not available

\*Available in hyper heat 48k and standard 48k & 60k BTU/H

## OUR MOST ADVANCED COLD CLIMATE LINEUP YET



The New Standard for Heating  
in the Extreme.

# FX SERIES | DUCTLESS HEAT PUMP



OPERATES  
DOWN TO  
-37 °C<sup>†</sup>



100% HEATING  
CAPACITY  
DOWN TO -23 °C



SUPERIOR  
SYSTEM  
PERFORMANCE



INCREASED  
ENERGY  
EFFICIENCY



LOW GLOBAL  
WARMING  
POTENTIAL



**Wide Capacity Range:**  
6,000 – 24,000 Btu/h

The **FX Series** features Mitsubishi Electric's most advanced Hyper Heat h2i technology, delivering year-round comfort in extreme climates with quiet, energy-efficient operation, 3D i-see Sensor control, and triple-action filtration.

UP TO **EER2: 21.45**

UP TO **HSPF2: 12.1**

UP TO **SEER2: 35.00**

UP TO **COP at 8 °C: 4.94**

**HEATS TO  
-37°C\***



SINGLE-ZONE

OR



MULTI-ZONE\*



**Industry-Leading Hyper Heat Technology**



## KEY FEATURES:

### 3D i-see Sensor

Intelligently personalizes airflow to occupants, optimizing energy savings and delivering unmatched comfort.

### Built-In Wi-Fi Connectivity

Adjust comfort settings from anywhere in the world.

### Smart Dry

New and improved advanced dehumidification mode.

### Whisper Quiet Operation

Indoor units as low as 20 dB (A) ensure minimal noise for maximum comfort.

### Advanced Multilayer Air Filtration

Ensures optimal air quality and prolonged equipment lifecycle.

### Dual Barriers

Indoor unit coatings simplify cleaning, ensuring efficiency with minimal maintenance.

### Base Pan Heater

Provides freeze protection and defrost drainage.



**SCAN the  
QR Code**

To access full product  
details and specifications

\*Includes tolerance. Typical units can operate in heating mode down to -36.7°C (above claims have been rounded to nearest integer of -37°C) depending on conditions.  
\*FX indoor units used in multi-zone applications require an MXZ outdoor unit. Refer to MXZ specifications for full technical details.

**COMFORT REDEFINED, AS PART OF OUR NEW ADVANCED LINEUP**



Designed for the way you live

**GX** | **DUCTLESS  
HEAT PUMPS &  
SERIES** | **AIR CONDITIONERS**



OPERATES  
DOWN TO  
-37 °C<sup>†</sup>



100% HEATING  
CAPACITY  
DOWN TO -15 °C<sup>††</sup>



SUPERIOR  
SYSTEM  
PERFORMANCE



INCREASED  
ENERGY  
EFFICIENCY



LOW GLOBAL  
WARMING  
POTENTIAL

<sup>†</sup>Includes tolerance. Typical units can operate in heating mode down to -36.7°C (above claims have been rounded to nearest integer of -37°C) depending on conditions.

<sup>††</sup>100% heating capacity at -15°C is for cold climate models only.

# Wide Capacity Range: 6,000 – 36,000 Btu/h


The Mitsubishi Electric **GX Series** combines compact style with exceptional efficiency for cold climates, providing year-round comfort with quiet, energy-saving performance for every space.

<p><b>UP TO</b> <b>EER2: 15.40</b></p> <p><b>UP TO</b> <b>SEER2: 28.40</b></p> <p><b>UP TO</b> <b>HSPF2: 10.70</b></p> <p><b>UP TO</b> <b>COP at 8 °C: 4.84</b></p>	COLD CLIMATE HEAT PUMP	STANDARD HEAT PUMP	AIR CONDITIONER	SINGLE-ZONE	MULTI-ZONE*
	<b>HEATS TO -37°C</b> <sup>†</sup>	<b>HEATS TO -25°C</b>	<b>COOLS TO -18°C</b> <sup>‡</sup>		
				OR	



## Available in ZUBA Cold Climate models:

Zuba is a family of Cold Climate Heat Pumps featuring Hyper Heat Technology and was developed as a home heating and cooling system specifically for Canada.



## KEY FEATURES:

### Whisper Quiet Noise Levels

Indoor units are as low as 19 dB(A).

### Multilayer Air Filtration

Ensures optimal air quality and prolonged equipment lifecycle.

### Smart Dry

New and improved advanced dehumidification mode.

### Built-In Wi-Fi Connectivity

Adjust comfort settings from anywhere in the world.

### Dual Barrier Coating

Indoor unit coatings simplify cleaning, ensuring efficiency with minimal maintenance.

### New Matte Finish

Scratch-resistant, long-lasting, and easy to clean.

### Base Pan Heater

Provides freeze protection and defrost drainage.



**SCAN the  
QR Code**

To access full product  
details and specifications

<sup>†</sup>Includes tolerance. Lock-out and re-start temperatures may vary by product. See product specification for more details.

<sup>‡</sup>Includes tolerance. Typical units can operate in heating mode down to -36.7°C (above claims have been rounded to nearest integer of -37°C) depending on conditions.

<sup>††</sup>100% heating capacity at -15°C is for cold climate models only.

\*GX indoor units used in multi-zone applications require an MXZ outdoor unit. Refer to MXZ specifications for full technical details.

**OUR MOST ADVANCED 115 V LINEUP YET**



Compact Power. Full Comfort.

**JX**  
**SERIES** | **DUCTLESS  
HEAT  
PUMP**



OPERATES  
DOWN TO  
-25 °C



SUPERIOR  
SYSTEM  
PERFORMANCE



INCREASED  
ENERGY  
EFFICIENCY



LOW GLOBAL  
WARMING  
POTENTIAL



**Nominal Capacity Range:**  
9,000 – 12,000 Btu/h

Mitsubishi Electric leads the HVAC industry with high-performance, energy-efficient products. The 115 V **JX series** ductless heat pumps deliver premium comfort, superior performance, and unmatched reliability.

UP TO **EER2: 12.50**

UP TO **SEER2: 20.00**

UP TO **HSPF2: 9.70**

UP TO **COP: 3.61**

**HEATS TO  
-25°C** †



SINGLE-ZONE



## KEY FEATURES:

### Advanced inverter-driven compressor technology

Optimize energy efficiency and extend equipment lifecycle.

### Whisper Quiet Noise Levels

Indoor units as low as 22 dB(A) ensure minimal noise for maximum comfort.

### Built-In Wi-Fi Connectivity

Adjust comfort settings from anywhere in the world.

### Smart Dry

New and improved advanced dehumidification for optimal indoor comfort.

### Multilayer Air Filtration

Improve indoor air quality (IAQ), and prolong equipment lifecycle.

### Econo Cool

Intelligent energy savings mode adjusts airflow toward occupants based on outlet air temperature.

### Dual Barrier Coating

Coating on the indoor fan simplifies cleaning, ensuring efficiency with minimal maintenance.



**SCAN the  
QR Code**

To access full product  
details and specifications

†Includes tolerance. Units can operate in heating mode down to  $-25.6^{\circ}\text{C}$  depending on conditions. All test conditions are based on AHRI 210/240.

**COMFORT REDEFINED, AS PART OF OUR NEW ADVANCED LINEUP**



Efficient Performance, Made Simple.

**HX** | **DUCTLESS  
HEAT  
PUMP**  
**SERIES**



OPERATES  
DOWN TO  
-25 °C



SUPERIOR  
SYSTEM  
PERFORMANCE



INCREASED  
ENERGY  
EFFICIENCY



LOW GLOBAL  
WARMING  
POTENTIAL



**Nominal Capacity Range:**  
9,000 – 24,000 Btu/h

Renowned for reliability, Mitsubishi Electric sets the standard for climate-conscious, energy-efficient ductless heat pumps that deliver exceptional comfort and performance.

UP TO  
**EER2: 12.55**

UP TO  
**SEER2: 20.00**

UP TO  
**HSPF2: 9.70**

UP TO  
**COP: 3.61**

**HEATS TO  
-25°C**



SINGLE-ZONE



## KEY FEATURES:

### Advanced inverter-driven compressor technology

Enhances energy efficiency and extends equipment lifespan.

### Whisper Quiet Levels

Indoor units as low as 22 dB(A) ensure minimal noise for maximum comfort.

### Smart Dry

Advanced dehumidification delivers superior indoor comfort, maintaining ideal humidity levels and target room temperature

### Dual Barrier Coating

Coating on the indoor fan simplifies cleaning, ensuring efficiency with minimal maintenance.

### Multilayer Air Filtration

Ensures optimal air quality, and prolonged equipment lifecycle.

### Econo Cool

Intelligent energy savings mode adjusts airflow toward occupants based on outlet air temperature.



**SCAN the  
QR Code**

To access full product  
details and specifications

\*Includes tolerance. Units can operate in heating mode down to -25.6 °C depending on conditions.

A NEW LEVEL OF  
**HOME COMFORT**  
ANY SPACE  
**ANY STYLE**



**ZUBA CENTRAL**  
**ZUBA SINGLE**

**SUZ** | THE  
UNIVERSAL  
UNIT  
**SINGLE-ZONE HEAT PUMPS**

Heat and cool with Mitsubishi Electric's most adaptable outdoor unit, now redesigned to operate with increased energy efficiency and superior performance.

**OUR MOST ADVANCED LINEUP YET,  
USING LOW GLOBAL WARMING POTENTIAL (GWP) R-454B REFRIGERANT**



\* When installed and registered by a MEQ certified HVAC (Heating, Ventilation, and Air Conditioning) Installer. Certain conditions, restrictions and/or limitations apply. See warranty terms and conditions for complete details.

# SUZ

SINGLE-ZONE HEAT PUMPS

A NEW LEVEL OF HOME COMFORT.  
ANY SPACE. ANY STYLE

The SUZ is Mitsubishi Electric's most adaptable single-zone heating and cooling outdoor unit, compatible with a range of indoor units with unique control options that fit seamlessly into any room.

## The SUZ is Available in:

STANDARD

HEATS  
TO  
-25°C

COLD CLIMATE

HEATS  
TO  
-30°C\*



UP TO EER2: 13.9

UP TO SEER2: 21.6

UP TO HSPF2(V): 8.3

UP TO COP at 8 °C: 4.3



## Hyper-Heating Inverter Technology for Cold Climates

The SUZ H2i Cold Climate heat pump can provide heating even when it's -30 °C\* outside operating at 100% heating capacity at -15 °C. These units are made for the Canadian Climate and provide year round comfort, even in extreme temperatures.



## Energy Star Certified

Energy Star certified options are widely available. Please refer to model information for more details.

\* Includes tolerance. Lock-out and re-start temperatures may vary by product. See product specification for more details.




## Redesigned High-Efficiency Compressor

Through the optimization of a newly designed compressor and the use of the latest energy-saving technologies, the efficiency of Mitsubishi Electric's heat pumps has reached new heights. Our high performance compressors feature advanced variable-speed INVERTER-driven technology, which varies the compressor speed dynamically to continuously adapt to the conditioning requirements of the room.




### Inverter Operation Comparison



#### Non-Inverter Heat Pump

On/Off operation of compressor maintains room temperature.



#### Inverter Heat Pump

Optimum control of frequency maintains preset room temperature.



## Base Pan Heater

The base pan heater ensures stable operation in low temperature environments, preventing operation disruptions and reduced capacity caused by drain water freezing. It is now available on all SUZ models.




## Low Noise

Operation noise tests are performed in an anechoic chamber with a very low 10dB of background noise. This ensures extremely quiet units with minimal operation noise from 48dB (sound pressure level).



## Blue Fin Protection

Blue Fin coating is applied to the heat exchanger to increase protection against corrosion, particularly in seacoast settings.



## Unprecedented Comfort **3D i-see Sensor**

Incorporating the same semiconductor used in our spaceborne satellites, the 3D i-see Sensor from Mitsubishi Electric directs the perfect amount of heating or cooling towards those who need it most. And when you leave the room, it automatically switches into energy saving mode to help save you money.

Intelligently scanning the entire room and dividing it into 752 zones, it detects exactly where you and your family are located based on your unique body temperature. The 3D i-see sensor is so precise, it can even differentiate between people and pets!

**Available on SLZ only.**

## Wifi Connectivity\*



Adjust the comfort settings of your home remotely through our cloud app on your smart device, allowing for control at your fingertips, anywhere.



## Superior Air Quality

Simultaneously maintain optimal air quality as you heat or cool your home. Indoor models in the SUZ system may include one or more of these features:

### Electrostatic Allergy Enzyme Filter

Charged with static electricity, this filter attracts and captures dust particles that regular filters cannot. It also works to trap and decompose allergens like mould and bacteria.

**Available on MLZ/MFZ only.**

### Nano Platinum Filter

This filter has a large capture area and incorporates nanometer-sized platinum-ceramic particles that work to kill bacteria and deodorize the circulating air.

**Available on MFZ only.**

### Air Purifying Filter

A large capture area deodorizes the circulating air.

**Available on MLZ only.**

### Fresh Air Intake

Indoor air quality is enhanced by the direct intake of fresh exterior air.


**Available on SLZ only.**



Econo Cool On



Conventional Cooling Mode



## Econo Cool Energy Saving Feature

Econo Cool is an intelligent temperature control feature that adjusts the amount of air directed towards room occupants based on the air-outlet temperature.

**Available on FX, GX, MFZ and MLZ only.**



## Optional M-NET Connection

Units can be connected to MELANS system controllers (M-NET controllers).

\* Please note that an interface/accessory is required for units without built-in Wi-Fi.

# SUZ SYSTEM

The SUZ Series features a selection of indoor units to complement any space. All indoor units are compatible with both the standard and Cold Climate Hyper-Heat (H2i™) outdoor units.

## INDOOR UNITS

**ZUBA CENTRAL**

▶ **WHOLE HOME COMFORT FOR CENTRAL DUCTWORK**



**SVZ-AP**  
Multi-Position | DUCTED



**MLZ-KX**  
1-Way Ceiling Cassette | DUCTLESS



**SLZ-AF**  
4-Way Ceiling Cassette | DUCTLESS



**MFZ-KX**  
Floor Mount | DUCTLESS



**SEZ-AD**  
Ceiling-Concealed Low-Static | DUCTED



**PEAD-AA**  
Ceiling-Concealed Mid-Static | DUCTED

## OUTDOOR UNITS

### Standard



SUZ-CA09|12|15NLH



SUZ-CA18|24|30|36NLH



SUZ-CK48|60NLH

### Cold Climate




SUZ-AA09|12|15|18NLHZ



SUZ-AK24|30|36|48NLHZ

## SUZ Compatibility

Outdoor Unit Capacity kBtu/h		9		12		15		18		24		30		36		48		60	
Model	Type	Standard	Cold Climate																
SLZ-AF	4-Way Ceiling Cassette	●	●	●	●	●	●	●	●										
SEZ-AD	Low-static Ducted	●	●	●	●	●	●	●	●										
PEAD-AA	Mid-static Ducted	●	●	●	●	●	●	●	●	●	●	●	●	●	●				
SVZ-AP	Multi-position Air Handler			●	●			●	●	●	●	●	●	●	●	NEW	NEW	NEW	
MLZ-KX	1-Way Ceiling Cassette	●	●	●	●			●	●										
NEW MFZ-KX	Floor Mount	●	●	●	●	●	●	●	●										



**SCAN the QR Code**

To access full product details and specifications

**10 YEAR**  
PARTS & COMPRESSOR  
**WARRANTY\***

\*When installed and registered by a MEQ certified HVAC (Heating, Ventilation, and Air Conditioning) Installer. Certain conditions, restrictions and/or limitations apply. See warranty terms and conditions for complete details.



**SCAN the  
QR Code**

To access full product  
details and specifications

# MULTI-ZONE HEAT PUMPS

## A NEW LEVEL OF HOME COMFORT ZONED TO PERFECTION

Enjoy optimal comfort settings customized to each room with Mitsubishi Electric's multi-zone system - now redesigned to operate with increased energy efficiency and superior performance.



**OUR MOST ADVANCED LINEUP YET, USING LOW GLOBAL  
WARMING POTENTIAL (GWP) R-454B REFRIGERANT**



[MitsubishiComfort.ca](http://MitsubishiComfort.ca)


\* When installed and registered by a MEQ certified HVAC (Heating, Ventilation, and Air Conditioning) Installer. Certain conditions, restrictions and/or limitations apply. See warranty terms and conditions for complete details.

# MULTI-ZONE HEAT PUMPS

MULTI-ZONE UNITS ALLOW YOU TO CREATE AN **OASIS OF COMFORT** THROUGHOUT **YOUR WHOLE HOUSE** IN THE ROOMS YOU USE MOST.

## SECOND FLOOR


Each room (zone) operates independently with its own wireless or wired remote controller, so people in different rooms can choose the temperature that makes them most comfortable.



Custom Temperatures for each Space

- UP TO SEER2: 21
- UP TO EER2: 13.7
- UP TO HSPF2(V): 9.1
- UP TO COP at 8 °C: 4.28

## FIRST FLOOR



**HEATS TO -30°C**

### Hyper-Heating Inverter Technology for Cold Climates

Mitsubishi Electric's multi-zone systems are available in standard and cold climate. Cold climate heat pumps feature hyper heat H2i technology providing heating even when it's -30 °C outside operating at 100% heating capacity at -15 °C. These units are made for the Canadian climate and provide year round comfort, even in extreme temperatures.



\*Includes tolerance. Lock-out and re-start temperatures may vary by product. See product specification for more details.




## Redesigned High Efficient Compressor

Through the optimization of a newly designed compressor and the use of the latest energy-saving technologies, the efficiency of Mitsubishi Electric's heat pumps have reached new heights. Our high performance compressors feature advanced variable-speed INVERTER-driven technology, which varies the compressor speed dynamically to continuously adapt to the conditioning requirements of each room.




## Inverter Operation Comparison



### Non-Inverter Heat Pump

On/Off operation of compressor maintains room temperature.



### Inverter Heat Pump

Optimum control of frequency maintains preset room temperature.



## Connect up to 5 Indoor Units

A single outdoor unit can provide optimal heating or cooling for up to 5 zones.

## Long Pipe Runs

Up to 262 feet of piping for increased install flexibility.




## Base Pan Heater

The base pan heater ensures stable operation in low temperature environments, preventing operation disruptions and reduced capacity caused by drain water freezing. It comes built in on MXZ cold climate models and is optional on MXZ standard models.

## Low Noise

Operation noise tests are performed in an anechoic chamber with a very low 10dB of background noise. This ensures extremely quiet units with minimal operation noise from 49 dB(A).



## Unprecedented Comfort **3D i-see Sensor**

Incorporating the same semiconductor used in our spaceborne satellites, the 3D i-see Sensor from Mitsubishi Electric directs the perfect amount of heating or cooling towards those who need it most. And when you leave the room, it automatically switches into energy saving mode to help save you money.

Intelligently scanning the entire room and dividing it into 752 zones, it detects exactly where you and your family are located based on your unique body temperature. The 3D i-see sensor is so precise, it can even differentiate between people and pets!

**Available on FX and SLZ only.**

## **Wifi Connectivity\***



Adjust the comfort settings of your home remotely through our cloud app on your smart device, allowing for control at your fingertips, anywhere.

## Superior Air Quality

Simultaneously maintain optimal air quality as you heat or cool your home. Indoor models in the multi-zone system may include one or more of these features:

### **Electrostatic Allergy Enzyme Filter**

Charged with static electricity, this filter attracts and captures dust particles that regular filters cannot. It also works to trap and decompose allergens like mould and bacteria.

**Available on FX, GX, MFZ, and MLZ only.**

### **Nano Platinum Filter**

This filter has a large capture area and incorporates nanometer-sized platinum-ceramic particles that work to kill bacteria and deodorize the circulating air.

**Available on MFZ only.**

### **Air Purifying Filter**

A large capture area deodorizes the circulating air.

**Available on MLZ only.**

### **Fresh Air Intake**

Indoor air quality is enhanced by the direct intake of fresh exterior air.

**Available on SLZ only.**



### **Econo Cool On**



### **Conventional Cooling Mode**



Temperature Distribution (°F)

58 61 64 68 72 75 79 82



## **Econo Cool Energy Saving Feature**

Econo Cool is an intelligent temperature control feature that adjusts the amount of air directed towards room occupants based on the air-outlet temperature.

**Available on GX, FX, MFZ and MLZ only.**



## **Optional M-NET Connection**

Units can be connected to MELANS system controllers (M-NET controllers).

\* Please note that an interface/accessory is required for units without built-in Wi-Fi.


# MULTI-ZONE SYSTEM

Connect up to 5 indoor units that complement any space.

## INDOOR UNITS



**SLZ-AF**  
4-Way Ceiling Cassette | DUCTLESS



**SVZ-AP**  
Multi-Position | DUCTED



**MFZ-KX**  
Floor Mount | DUCTLESS



**SEZ-AD**  
Ceiling-Concealed Low-Static | DUCTED



**MLZ-KX**  
1-Way Ceiling Cassette | DUCTLESS



**PEAD-AA**  
Ceiling-Concealed Mid-Static | DUCTED



**MSZ-FX**  
Wall Mount | DUCTLESS



**MSZ-GX**  
Wall Mount | DUCTLESS



**SCAN** the  
**QR Code**

To view full  
compatibility  
details

## OUTDOOR UNITS

### COLD CLIMATE

**ZUBA MULTI**



**MXZ-2D20|3D24|3D30NLHZ**

### STANDARD



**MXZ-2D20NL**



**MXZ-3D24|4D30|5D36|5D42NL**

# SYSTEM EXAMPLE



Connection of up to 5 indoor units.

2, 3, 4 and 5 ports  
MXZ-5D42NL Example **MXZ**



**SCAN** the  
**QR Code**

To access MXZ  
connection rules

**10 YEAR**  
**PARTS & COMPRESSOR**  
**WARRANTY\***

\*When installed and registered by a MEQ certified HVAC (Heating, Ventilation, and Air Conditioning) Installer. Certain conditions, restrictions and/or limitations apply. See warranty terms and conditions for complete details.

# PUT COMFORT IN YOUR HANDS

Operate your system using our wireless or optional wall-mounted controllers and interfaces.

To experience full remote access, download our cloud app, Kumo.\*



## THE SMARTER WAY TO MANAGE YOUR HOME COMFORT



### Remote Access

Adjust the temperature, fan and dry mode from anywhere.



### Zone control

Manage individual rooms or entire properties.



### Scheduling

Automate temperature changes with daily/weekly programs.



### Holds

Override scheduling temporarily or permanently.



### Alerts and notifications

Receive push alerts for dirty filters errors, and temperature extremes.



### Smart home integration


Works with Alexa and Google Home.

## HOW IT WORKS

- 1 Connect to 2.4 GHz Wi-Fi with internet
- 2 Download KUMO Cloud app
- 3 Create an account with a valid email
- 4 Add your system zones and begin control



[KUMOCLOUD.ca](https://www.kumocloud.ca)



\* Wifi comes built in on select models.  
Please speak with your local dealer for more information.



# Environmental Sustainability Vision 2050

Protect the air, land and water with our hearts and technologies to sustain a better future for all.



To solve various factors that lead to environment issues, the Mitsubishi Electric Group shall unite the wishes of each and every person, and strive to create new value for a sustainable future.



COMFORT	DURABILITY	EFFICIENCY
Quiet operation	Strict performance tests	Energy saving
Optimal temperature distribution	Easy-to-clean design	Money saving
Clean filtered air	Replacement parts	Space saving



Certificate Number 79222

Certificate Number 78649


Mitsubishi Electric Consumer Products has acquired ISO 9001 certification under Series 9000 of the International Standard Organization (ISO). The plant has also acquired environmental management system standard ISO 14001 certification.



MITSUBISHICOMFORT.CA



Heating and Cooling



Mitsubishi Electric Sales Canada Inc.

MEM-202610-E © 2026 Mitsubishi Electric Sales Canada Inc. All rights reserved. Mitsubishi Electric reserves the right to modify the design of its products, their characteristics and the information contained in this literature. Specifications are subject to change without notice. Mitsubishi Electric, and the three diamond logo are registered trademarks of Mitsubishi Electric Corporation. Used with permission.