Sample Oral Moderate Sedation Record

| CHART NO: | | |
|-----------|--|--|
|-----------|--|--|

| PATIENT INF | ORMATION | | | | | | | | | | | | | |
|--------------------------------------|---------------------------------------|---------------|------------------|----------|-------------------------|--|---|---|------------------|--------------|----------------------|----------------------------|--|--|
| | | | | | ASA: □I □II □III AGE: | | | ☐ Emergency oxygen, drugs and equipment checked (All Alarms ON) prior to sedation | | | | | | |
| Patient (Full Name): | | | | WT (kg): | HT: | Monitors: □ Pulse Oximeter □ Auto BP Cuff □ Manual BP Cuff | | | | | | | | |
| Birthdate - M/D/Y: | | Gender (M/F): | Date - M/I | D/Y: | NPO: □Y □N | Last Solids: | Last Fluids: | Observation | · | | | | | |
| Dental Procedure(s) | Performed: | | | | Medical History | (Review and Update) | : | Pre-Op Vitals: | | HR | SpO ₂ | RESP. | | |
| | | | | | | Intended Level of Sedation: Minimal Moderate | | | | | | | | |
| MEDICATIONS (Name, Dose, Frequency): | | | | - | | | Deepest Level of Sedation Obtained: ☐ Minimal ☐ Moderate ☐ Deep ☐ General | | | | | | | |
| - | · · · · · · · · · · · · · · · · · · · | | | | | | | Indication(s) for S | Sedation: | | | | | |
| ALLERGIES (Agent, | Deaction): | | | | | | | Anxiolytics/Sedatives Taken Night Before Dental Appointment: | | | | | | |
| ALLERGIES (Agent, | Reaction). | | | | | | | Name: | | | Dose: | Time: | | |
| | | | | | - | | | Anxiolytics/Sed | atives Taken Day | of Dental Ap | pointment Prior to A | Arrival to Dental Facility | | |
| | | | | | | | | Name: | | | Dose: | Time: | | |
| ESCORT (Verified Pr | e-Sedation) Name | 2: | | | | | | Premedication(s) (Non-Sedative): | | | | | | |
| Relationship: | | | Phone #: | | | | | Name: | | | Dose: | Time: | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| POST ANEST | HESIA RECO | OVERY | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| DISCHARGE CRITER | | | | | Fit for Discharge Time: | | | COMMENTS/COI | MPLICATIONS: | | | | | |
| Oriented to person/p | place/time: Y | □N | | | In the Company o | f: | | | | | | | | |
| Discharge Vitals: | BP | HR | SpO ₂ | RESP. | Name: | | | | | | | | | |
| Vital Signs Stable: [| \square Y \square N | | | | Name. | | | | | | | | | |
| Pre-Sedation Level of | of Ambulation: |] Y | | | Relationship: | | | | | | | | | |
| Written Post-Sedation | on Instructions Giv | en: 🔲 Y 🔲 N | | | Phone #: | | | | | | | | | |
| Verbal Post-Sedation | n Instructions Give | en: 🗆 Y 🗆 N | | | Patient Left the Fa | cility at: | am/pm | | | | | | | |
| | | | | | | | 2, p | - | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| SIGNATURES | ; | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| DDS: | | | DA: | | | SED | ATION PROVIDER: | | | | | | | |

SEDATION

| TIME | ORAL SEDATIVE(S) (Name, Dosage) | | LOCAL ANES. | ml of |
|-------------------------|---------------------------------|--------------------|-------------|-------|
| Dental Procedure Start: | Name: | | | |
| Dental Procedure End: | Dose: | Time Administered: | | |
| Recovery Start: | Total Administered (mg): | | | |

| ELAPSED TIME | | | | | 1 hr. | | | | 2 hr. | | | | 3 hr. | | | | |
|---------------------------|---|----|----|----|-------|----|----|----|-------|----|----|----|-------|----|----|----|---|
| | 0 | 15 | 30 | 45 | 0 | 15 | 30 | 45 | 0 | 15 | 30 | 45 | 0 | 15 | 30 | 45 | 1 |
| Oxygen I/min | | | | | | | | | | | | | | | | | |
| Nitrous Oxide I/min | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| Blood Pressure | | | | | | | | | | | | | | | | | |
| Heart Rate | | | | | | | | | | | | | | | | | |
| O ₂ Saturation | | | | | | | | | | | | | | | | | |
| Respiratory Rate | | | | | | | | | | | | | | | | | |
| LOS* | | | | | | | | | | | | | | | | | |

^{*} LOS = Level of Sedation

Place photocopy monitor printout here (if applicable)